

### SpiroxiLife MD 2

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830 Revision date: 12/1/2016 Version: 2.0

### Warning



### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name : SpiroxiLife MD 2

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : Spirometry Uses advised against : Consumer use.

Uses other than those listed above are not supported, contact your supplier for more

information on other uses.

#### 1.3. Details of the supplier of the safety data sheet

Sapio Life Srl

Via S. Pellico, 48 20900 Monza (MB) +39 039 83981 | +39 039 836068

http://www.sapiolife.it sds@sapio.it

#### 1.4. Emergency telephone number

: +39 0295705444 (24/7) Emergency telephone number

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Physical hazards Gases under pressure: Compressed gas H280

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS04

Signal word (CLP) Warning

Hazard statements (CLP) H280 - Contains gas under pressure; may explode if heated.

Precautionary statements (CLP)

: P403 - Store in a well-ventilated place. - Storage

2.3. Other hazards

Not classified as PBT or vPvB.

The substance/mixture has no endocrine disrupting properties.



### SpiroxiLife MD 2

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830 Revision date: 12/1/2016 Version: 2.0

### **SECTION 3: Composition/information on ingredients**

#### Not applicable 3.1. Substances

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Nitrogen	CAS-No.: 7727-37-9 EC-No.: 231-783-9 EC Index-No.: REACH-no: *1	Balance	Press. Gas (Comp.), H280
Helium	CAS-No.: 7440-59-7 EC-No.: 231-168-5 EC Index-No.: REACH-no: *1	7 - 16	Press. Gas (Comp.), H280
oxygen	CAS-No.: 7782-44-7 EC-No.: 231-956-9 EC Index-No.: 008-001-00-8 REACH-no: *1	19 - 21	Ox. Gas 1, H270 Press. Gas (Comp.), H280
carbon monoxide	CAS-No.: 630-08-0 EC-No.: 211-128-3 EC Index-No.: 006-001-00-2 REACH-no: 01-2119480165-39	0,2 - 0,299	Flam. Gas 1B, H221 Press. Gas (Comp.), H280 Acute Tox. 3 (Inhalation:gas), H331 Repr. 1A, H360D STOT RE 1, H372

Full text of H- and EUH-statements: see section 16

Contains no other components or impurities which will influence the classification of the product.

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Inhalation : Adverse effects not expected from this product. Skin contact Adverse effects not expected from this product. Adverse effects not expected from this product. Eye contact

Ingestion is not considered a potential route of exposure. Ingestion

### 4.2. Most important symptoms and effects, both acute and delayed

See section 11.

#### 4.3. Indication of any immediate medical attention and special treatment needed

None.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray or fog.

Product does not burn, use fire control measures appropriate for the surrounding fire.

Unsuitable extinguishing media : Do not use water jet to extinguish.

Sapio Life Srl EN (English) 2/10

<sup>\*1:</sup> Listed in Annex IV / V REACH, exempted from registration.

<sup>\*3:</sup> Registration not required: Substance manufactured or imported < 1t/y.



#### SpiroxiLife MD 2

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Revision date: 12/1/2016 Version: 2.0

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards : Supports combustion.

Exposure to fire may cause containers to rupture/explode.

Hazardous combustion products : carbon monoxide.

5.3. Advice for firefighters

Specific methods : Use fire control measures appropriate for the surrounding fire. Exposure to fire and heat

> radiation may cause gas receptacles to rupture. Cool endangered receptacles with water spray jet from a protected position. Prevent water used in emergency cases from entering

sewers and drainage systems. If possible, stop flow of product.

Use water spray or fog to knock down fire fumes if possible.

Move containers away from the fire area if this can be done without risk.

Special protective equipment for fire fighters Standard protective clothing and equipment (Self Contained Breathing Apparatus) for fire

Standard EN 469 - Protective clothing for firefighters. Standard - EN 659: Protective gloves

for firefighters.

Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full

face mask.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Act in accordance with local emergency plan.

Stay upwind.

See section 8 of the SDS for more information on personal protective equipment

For emergency responders See section 5.3 of the SDS for more information.

6.2. Environmental precautions

None.

### 6.3. Methods and material for containment and cleaning up

None.

#### 6.4. Reference to other sections

See also sections 8 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Safe use of the product : The product must be handled in accordance with good industrial hygiene and safety

procedures.

Only experienced and properly instructed persons should handle gases under pressure.

Consider pressure relief device(s) in gas installations.

Ensure the complete gas system was (or is regularily) checked for leaks before use.

Do not smoke while handling product.

Use only properly specified equipment which is suitable for this product, its supply pressure

and temperature. Contact your gas supplier if in doubt.

Use only oxygen approved lubricants and oxygen approved sealings.

Avoid suck back of water, acid and alkalis.

Do not breathe gas.

Avoid release of product into work area.

Sapio Life Srl EN (English) 3/10



#### SpiroxiLife MD 2

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Revision date: 12/1/2016 Version: 2.0

Safe handling of the gas receptacle

: Do not allow backfeed into the container.

Protect containers from physical damage; do not drag, roll, slide or drop.

When moving cylinders, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport cylinders.

Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use.

If user experiences any difficulty operating valve discontinue use and contact supplier.

Never attempt to repair or modify container valves or safety relief devices.

Damaged valves should be reported immediately to the supplier.

Keep container valve outlets clean and free from contaminants particularly oil and water. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment.

Close container valve after each use and when empty, even if still connected to equipment.

Never attempt to transfer gases from one cylinder/container to another.

Never use direct flame or electrical heating devices to raise the pressure of a container. Do not remove or deface labels provided by the supplier for the identification of the content of the container.

Suck back of water into the container must be prevented.

Open valve slowly to avoid pressure shock.

#### 7.2. Conditions for safe storage, including any incompatibilities

Observe all regulations and local requirements regarding storage of containers.

Containers should not be stored in conditions likely to encourage corrosion.

Container valve guards or caps should be in place.

Containers should be stored in the vertical position and properly secured to prevent them from falling over.

Stored containers should be periodically checked for general condition and leakage.

Keep container below 50°C in a well ventilated place.

Store containers in location free from fire risk and away from sources of heat and ignition.

Keep away from combustible materials.

#### 7.3. Specific end use(s)

None.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Nitrogen (7727-37-9)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Nitrogen	
Remark (ACGIH)	TLV® Basis: Simple Asphyxiant	
Regulatory reference	ACGIH 2019	

Helium (7440-59-7)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Helium	
Remark (ACGIH)	TLV® Basis: Simple Asphyxiant	
Regulatory reference	ACGIH 2019	



### SpiroxiLife MD 2

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830 Revision date: 12/1/2016 Version: 2.0

carbon monoxide (630-08-0)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Carbon monoxide	
IOEL TWA	23 mg/m³	
IOEL TWA [ppm]	20 ppm	
IOEL STEL	117 mg/m³	
IOEL STEL [ppm]	100 ppm	
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164	
Italy - Occupational Exposure Limits		
Local name	Monossido di carbonio	
OEL TWA	23 mg/m³	
OEL TWA [ppm]	20 ppm	
OEL STEL	117 mg/m³	
OEL STEL [ppm]	100 ppm	
Regulatory reference	Allegato XXXVIII del D.Lgs. 9 aprile 2008, n. 81 e s.m.i.	
USA - ACGIH - Occupational Exposure Limits		
Local name	Carbon monoxide	
ACGIH OEL TWA [ppm]	25 ppm	
Remark (ACGIH)	TLV® Basis: COHb-emia. Notations: BEI	
Regulatory reference	ACGIH 2019	

carbon monoxide (630-08-0)			
DNEL: Derived no effect level (Workers)			
Acute - local effects, inhalation	117 ppm		
Acute - systemic effects, inhalation	117 mg/m³		
Long-term - local effects, inhalation	23 ppm		
Long-term - systemic effects, inhalation	23 mg/m³		

DNEL (Derived-No Effect Level) : None available.

PNEC (Predicted No-Effect Concentration) : None available.

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Systems under pressure should be regularily checked for leakages. Ensure exposure is below occupational exposure limits (where available). Consider the use of a work permit system e.g. for maintenance activities.

#### 8.2.2. Individual protection measures, e.g. personal protective equipment

A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk.

The following recommendations should be considered:

PPE compliant to the recommended EN/ISO standards should be selected.



#### SpiroxiLife MD 2

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Revision date: 12/1/2016 Version: 2.0

Eye/face protection : Wear safety glasses with side shields.

Standard EN 166 - Personal eye-protection - specifications.

Skin protection

Hand protection : Wear working gloves when handling gas containers.

Standard EN 388 - Protective gloves against mechanical risk.

Other : Wear safety shoes while handling containers.

Standard EN ISO 20345 - Personal protective equipment - Safety footwear.

Respiratory protection : When indicated by a risk assessment, Respiratory Protective Equipment must be used. The

selection of the Respiratory Protective Device (RPD) must be based on known or

anticipated exposure levels, the hazards of the product and the safe working limits of the

selected RPD.

Self contained breathing apparatus is recommended, where unknown exposure may be

expected, e.g. during maintenance activities on installation systems.

Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full

face mask.

Thermal hazards None in addition to the above sections.

8.2.3. Environmental exposure controls

None necessary.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

**Appearance** 

- Physical state at 20°C / 101.3kPa

- Colour Mixture contains one or more component(s) which have the following colour(s):

Colourless.

Odour Odourless.

Odour threshold is subjective and inadequate to warn of overexposure.

pΗ Not applicable for gases and gas mixtures. Not applicable for gases and gas mixtures. Melting point / Freezing point

Boiling point Not applicable for gas mixtures.

Flash point Not applicable for gases and gas mixtures.

Non flammable. Flammability **Explosive limits**  Non flammable Lower explosive limit (LEL) : Not available Upper explosive limit (UEL) : Not available Vapour pressure [20°C] : Not applicable. Vapour pressure [50°C] Not applicable. Density Not applicable

Not applicable for gases and gas mixtures. Vapour density

Relative density, liquid (water=1) Not applicable Relative density, gas (air=1) Lighter or similar to air.

Water solubility : Not available

Partition coefficient n-octanol/water (Log Kow) : Not applicable for gas mixtures.

Auto-ignition temperature : Non flammable. Decomposition temperature : Not applicable.

Viscosity, kinematic : Not applicable for gases and gas mixtures. Particle characteristics : Not applicable for gases and gas mixtures.

#### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

Oxidising properties No oxidising properties.

9.2.2. Other safety characteristics

Other data : None.

Sapio Life Srl EN (English) 6/10



### SpiroxiLife MD 2

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Revision date: 12/1/2016 Version: 2.0

### **SECTION 10: Stability and reactivity**

10.1. Reactivity

Data for mixture are not available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None.

Reactivity : This mixture contains components with the following reactivity : Violently oxidises organic

material. Can form explosive mixture with air. May react violently with oxidants.

10.4. Conditions to avoid

Avoid moisture in installation systems.

10.5. Incompatible materials

For additional information on compatibility refer to ISO 11114.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not

be produced.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Toxicological effects not expected from this product if occupational exposure limit values are

not exceeded.

carbon monoxide (630-08-0)

Skin corrosion/irritation

LC50 Inhalation - Rat [ppm] 3760 ppm/1h (ADR) 1300 ppm/4h (CLP)

: No known effects from this product.

Serious eye damage/irritation : No known effects from this product.

Respiratory or skin sensitisation : No known effects from this product.

Germ cell mutagenicity : No known effects from this product.

Carcinogenicity : No known effects from this product.

Taxic for reproduction : Fertility : No known effects from this product.

Toxic for reproduction: Fertility

Toxic for reproduction: unborn child

Toxic for reproduction: unborn child

No known effects from this product.

No known effects from this product.

No known effects from this product.

STOT-repeated exposure : No known effects from this product.

**Aspiration hazard** : Not applicable for gases and gas mixtures.

11.2. Information on other hazards

Other information : The substance/mixture has no endocrine disrupting properties.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Assessment : No ecological damage caused by this product.

EC50 48h - Daphnia magna [mg/l] : No data available. EC50 72h - Algae [mg/l] : No data available. LC50 96 h - Fish [mg/l] : No data available.

Sapio Life Srl EN (English) 7/10



### SpiroxiLife MD 2

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Revision date: 12/1/2016 Version: 2.0

12.2. Persistence and degradability

Assessment : No ecological damage caused by this product.

12.3. Bioaccumulative potential

Assessment : No ecological damage caused by this product.

12.4. Mobility in soil

Assessment : No ecological damage caused by this product.

12.5. Results of PBT and vPvB assessment

Assessment : Not classified as PBT or vPvB.

12.6. Endocrine disrupting properties

The substance/mixture has no endocrine disrupting properties.

12.7. Other adverse effects

Other adverse effects : No known effects from this product. Effect on the ozone layer : No effect on the ozone layer. Effect on global warming : No known effects from this product.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

May be vented to atmosphere in a well ventilated place.

Do not discharge into any place where its accumulation could be dangerous.

Return unused product in original container to supplier.

List of hazardous waste codes (from Commission

Decision 2000/532/EC as amended)

: 16 05 05 : Gases in pressure containers other than those mentioned in 16 05 04.

#### 13.2. Additional information

External treatment and disposal of waste should comply with applicable local and/or

national regulations.

#### **SECTION 14: Transport information**

#### 14.1. UN number or ID number

In accordance with ADR / RID / IMDG / IATA / ADN

UN-No. : 1956

14.2. UN proper shipping name

Transport by road/rail (ADR/RID) : COMPRESSED GAS, N.O.S. (Nitrogen, Helium)
Transport by air (ICAO-TI / IATA-DGR) : Compressed gas, n.o.s. (Nitrogen, Helium)
Transport by sea (IMDG) : COMPRESSED GAS, N.O.S. (Nitrogen, Helium)

14.3. Transport hazard class(es)

Labelling

2.2 : Non-flammable, non-toxic gases.

Transport by road/rail (ADR/RID)

Class : 2
Classification code : 1A
Hazard identification number : 20

Tunnel Restriction : E - Passage forbidden through tunnels of category E

Transport by air (ICAO-TI / IATA-DGR)

Class / Div. (Sub. risk(s)) : 2.2

Sapio Life Srl EN (English) 8/10



#### SpiroxiLife MD 2

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Revision date: 12/1/2016 Version: 2.0

Transport by sea (IMDG)

Class / Div. (Sub. risk(s)) : 2.2 : F-C Emergency Schedule (EmS) - Fire : S-V Emergency Schedule (EmS) - Spillage

14.4. Packing group

Transport by road/rail (ADR/RID) : Not applicable Transport by air (ICAO-TI / IATA-DGR) : Not applicable Transport by sea (IMDG) : Not applicable

14.5. Environmental hazards

Transport by road/rail (ADR/RID) : None. Transport by air (ICAO-TI / IATA-DGR) : None. Transport by sea (IMDG) : None.

#### 14.6. Special precautions for user

Packing Instruction(s)

Transport by road/rail (ADR/RID) : P200

Transport by air (ICAO-TI / IATA-DGR)

Passenger and Cargo Aircraft : 200. Cargo Aircraft only 200 Transport by sea (IMDG) : P200

Special transport precautions : Avoid transport on vehicles where the load space is not separated from the driver's

compartment.

Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in

the event of an accident or an emergency. Before transporting product containers: - Ensure there is adequate ventilation. - Ensure that containers are firmly secured. - Ensure valve is closed and not leaking.

- Ensure valve outlet cap nut or plug (where provided) is correctly fitted.

- Ensure valve protection device (where provided) is correctly fitted.

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU-Regulations** 

Seveso Directive: 2012/18/EU (Seveso III) : Not covered.

**National regulations** 

Regulatory reference : Ensure all national/local regulations are observed.

15.2. Chemical safety assessment

A CSA does not need to be carried out for this product.

### **SECTION 16: Other information**

Indication of changes : Safety data sheet in accordance with commission regulation (EU) No 2020/878.

Sapio Life Srl EN (English) 9/10



#### SpiroxiLife MD 2

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2015/830

Revision date: 12/1/2016 Version: 2.0

Abbreviations and acronyms

Training advice

Further information

: ATE - Acute Toxicity Estimate

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006

EINECS - European Inventory of Existing Commercial Chemical Substances

CAS# - Chemical Abstract Service number PPE - Personal Protection Equipment

LC50 - Lethal Concentration to 50 % of a test population

RMM - Risk Management Measures

PBT - Persistent, Bioaccumulative and Toxic

vPvB - Very Persistent and Very Bioaccumulative

STOT- SE: Specific Target Organ Toxicity - Single Exposure

CSA - Chemical Safety Assessment

EN - European Standard UN - United Nations

ADR - European Agreement concerning the International Carriage of Dangerous Goods by

Road

IATA - International Air Transport Association

IMDG code - International Maritime Dangerous Goods

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

WGK - Water Hazard Class

STOT - RE: Specific Target Organ Toxicity - Repeated Exposure

UFI: Unique Formula Identifier

: None.

: Classification using data from databases maintained by the European Industrial Gases Association (EIGA). Data is maintained in EIGA doc 169: 'Classification and Labelling

Guide', downloadable at : http://www.eiga.eu.

Classification in accordance with the procedures and calculation methods of Regulation

(EC) 1272/2008 (CLP).

Full text of H- and EUH-statements		
Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3	
Flam. Gas 1B	Flammable gases, Category 1B	
H221	Flammable gas.	
H270	May cause or intensify fire; oxidiser.	
H280	Contains gas under pressure; may explode if heated.	
H331	Toxic if inhaled.	
H360D	May damage the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	
Ox. Gas 1	Oxidising Gases, Category 1	
Press. Gas (Comp.)	Gases under pressure : Compressed gas	
Repr. 1A	Reproductive toxicity, Category 1A	
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1	

DISCLAIMER OF LIABILITY

: Before using this product in any new process or experiment, a thorough material compatibility and safety study should be carried out.

Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.

End of document

Sapio Life Srl Via S. Pellico 20900 Monza, +39 039 836068 EN (English)

10/10